


Date Produced
Revision #

11/9/2023
A1

ARMADA SKIS W24/25 MOUNTING GUIDE

Factory Recommended
Secondary Recommended

Always the furthest aft mount on ski for best performance for the general user who does not prefer a more forward mount
A secondary mount point that is further forward on the ski for a more even balanced mount for park and pipe



SKU	Model	Length	ISO Group Drill Bit Recommended	Factory Recommended (cm)	Secondary Mount Point (cm)
RA0000600187	ARG II UL	187	G1 - 3.5 X 9.5mm	87.8	N/A
RA0000602165	ARV 116 JJ UL	165	G1 - 4.1 X 9.5mm	76.5	79
RA0000602175	ARV 116 JJ UL	175	G1 - 4.1 X 9.5mm	81.5	84
RA0000602185	ARV 116 JJ UL	185	G1 - 4.1 X 9.5mm	86.5	89
RA0000602192	ARV 116 JJ UL	192	G1 - 4.1 X 9.5mm	90	92.5
RA0000604172	STRANGER	172	G1 - 3.5 X 9.5mm	75.6	N/A
RA0000604180	STRANGER	180	G1 - 3.5 X 9.5mm	79.5	N/A
RA0000606183	WHITEWALKER 121	183	G1 - 4.1 X 9.5mm	84.6	N/A
RA0000608182	KIMBO	182	G1 - 3.5 X 9.5mm	88.3	N/A
RA0000610165	ARV 112	165	G1 - 3.5 X 9.5mm	76.6	79.1
RA0000610175	ARV 112	175	G1 - 3.5 X 9.5mm	81.6	84.1
RA0000610185	ARV 112	185	G1 - 3.5 X 9.5mm	86.6	89.1
RA0000610192	ARV 112	192	G1 - 3.5 X 9.5mm	90.2	92.7
RA0000612164	ARV 106	164	G1 - 3.5 X 9.5mm	76.2	78.7
RA0000612172	ARV 106	172	G1 - 3.5 X 9.5mm	80.2	82.7
RA0000612180	ARV 106	180	G1 - 3.5 X 9.5mm	84.2	86.7
RA0000612188	ARV 106	188	G1 - 3.5 X 9.5mm	88.2	90.7
RA0000614158	ARV 100	158	G1 - 3.5 X 9.5mm	73.2	75.7
RA0000614165	ARV 100	165	G1 - 3.5 X 9.5mm	76.7	79.2
RA0000614172	ARV 100	172	G1 - 3.5 X 9.5mm	80.2	82.7
RA0000614179	ARV 100	179	G1 - 3.5 X 9.5mm	83.7	86.2
RA0000614186	ARV 100	186	G1 - 3.5 X 9.5mm	88	90.5
RA0000616157	ARV 94	157	G1 - 3.5 X 9.5mm	72.7	75.2
RA0000616164	ARV 94	164	G1 - 3.5 X 9.5mm	76.2	78.7
RA0000616171	ARV 94	171	G1 - 3.5 X 9.5mm	79.7	82.2
RA0000616178	ARV 94	178	G1 - 3.5 X 9.5mm	83.2	85.7
RA0000616185	ARV 94	185	G1 - 3.5 X 9.5mm	86.7	89.2
RA0000618156	ARV 88	156	G1 - 3.5 X 9.5mm	71.8	74.3
RA0000618161	ARV 88	161	G1 - 3.5 X 9.5mm	74.3	76.8
RA0000618166	ARV 88	166	G1 - 3.5 X 9.5mm	76.8	79.3
RA0000618171	ARV 88	171	G1 - 3.5 X 9.5mm	79.4	81.9
RA0000618176	ARV 88	176	G1 - 3.5 X 9.5mm	81.8	84.3
RA0000618181	ARV 88	181	G1 - 3.5 X 9.5mm	84.4	86.9
RA0000620157	ARV 84 (Long)	157	G1 - 3.5 X 9.5mm	72.5	75
RA0000620164	ARV 84 (Long)	164	G1 - 3.5 X 9.5mm	76	78.5
RA0000620171	ARV 84 (Long)	171	G1 - 3.5 X 9.5mm	79.5	82
RA0000622133	ARV 84 (Short)	133	G3 - 3.5 X 7.5mm	60.8	63.3
RA0000622143	ARV 84 (Short)	143	G3 - 3.5 X 7.5mm	65.4	67.9
RA0000622150	ARV 84 (Short)	150	G1 - 3.5 X 9.5mm	69	71.5
RA0000624165	ARW 112	165	G1 - 3.5 X 9.5mm	76.6	79.1
RA0000624175	ARW 112	175	G1 - 3.5 X 9.5mm	81.6	84.1
RA0000624185	ARW 112	185	G1 - 3.5 X 9.5mm	86.6	89.1
RA0000626164	ARW 106	164	G1 - 3.5 X 9.5mm	76.2	78.7
RA0000626172	ARW 106	172	G1 - 3.5 X 9.5mm	80.2	82.7
RA0000626180	ARW 106	180	G1 - 3.5 X 9.5mm	84.2	86.7
RA0000626188	ARW 106	188	G1 - 3.5 X 9.5mm	88.2	90.7
RA0000628158	ARW 100	158	G1 - 3.5 X 9.5mm	73.2	75.7
RA0000628165	ARW 100	165	G1 - 3.5 X 9.5mm	76.7	79.2
RA0000628172	ARW 100	172	G1 - 3.5 X 9.5mm	80.2	82.7
RA0000628179	ARW 100	179	G1 - 3.5 X 9.5mm	83.7	86.2
RA0000628186	ARW 100	186	G1 - 3.5 X 9.5mm	88	90.5
RA0000630157	ARW 94	157	G1 - 3.5 X 9.5mm	72.7	75.2
RA0000630164	ARW 94	164	G1 - 3.5 X 9.5mm	76.2	78.7
RA0000630171	ARW 94	171	G1 - 3.5 X 9.5mm	79.7	82.2
RA0000630178	ARW 94	178	G1 - 3.5 X 9.5mm	83.2	85.7
RA0000630185	ARW 94	185	G1 - 3.5 X 9.5mm	86.7	89.2
RA0000632156	ARW 88	156	G1 - 3.5 X 9.5mm	71.8	74.3
RA0000632161	ARW 88	161	G1 - 3.5 X 9.5mm	74.3	76.8
RA0000632166	ARW 88	166	G1 - 3.5 X 9.5mm	76.8	79.3
RA0000632171	ARW 88	171	G1 - 3.5 X 9.5mm	79.4	81.9
RA0000632176	ARW 88	176	G1 - 3.5 X 9.5mm	81.8	84.3
RA0000632181	ARW 88	181	G1 - 3.5 X 9.5mm	84.4	86.9

RA0000634157	ARW 84 (Long)	157	G1 - 3.5 X 9.5mm	72.5	75
RA0000634164	ARW 84 (Long)	164	G1 - 3.5 X 9.5mm	76	78.5
RA0000636133	ARW 84 (Short)	133	G3 - 3.5 X 7.5mm	60.8	63.3
RA0000636143	ARW 84 (Short)	143	G3 - 3.5 X 7.5mm	65.4	67.9
RA0000636150	ARW 84 (Short)	150	G1 - 3.5 X 9.5mm	69	71.5
RA0000638185	DECLIVITY X 115	185	G1 - 4.1 X 9.5mm	79.5	N/A
RA0000638192	DECLIVITY X 115	192	G1 - 4.1 X 9.5mm	82.4	N/A
RA0000640176	DECLIVITY X 108	176	G1 - 4.1 X 9.5mm	78.7	81.7
RA0000640184	DECLIVITY X 108	184	G1 - 4.1 X 9.5mm	82.7	85.7
RA0000640191	DECLIVITY X 108	191	G1 - 4.1 X 9.5mm	86.2	89.2
RA0000642164	DECLIVITY X 102	164	G1 - 4.1 X 9.5mm	74.2	N/A
RA0000642172	DECLIVITY X 102	172	G1 - 4.1 X 9.5mm	77.6	N/A
RA0000642180	DECLIVITY X 102	180	G1 - 4.1 X 9.5mm	81	N/A
RA0000642188	DECLIVITY X 102	188	G1 - 4.1 X 9.5mm	86.5	N/A
RA0000644164	DECLIVITY 92 Ti	164	G1 - 4.1 X 9.5mm	72.1	N/A
RA0000644172	DECLIVITY 92 Ti	172	G1 - 4.1 X 9.5mm	76	N/A
RA0000644180	DECLIVITY 92 Ti	180	G1 - 4.1 X 9.5mm	79	N/A
RA0000644188	DECLIVITY 92 Ti	188	G1 - 4.1 X 9.5mm	84	N/A
RA0000646160	DECLIVITY 88 C	160	G1 - 4.1 X 9.5mm	68.7	N/A
RA0000646168	DECLIVITY 88 C	168	G1 - 4.1 X 9.5mm	72.5	N/A
RA0000646176	DECLIVITY 88 C	176	G1 - 4.1 X 9.5mm	76.3	N/A
RA0000646184	DECLIVITY 88 C	184	G1 - 4.1 X 9.5mm	81	N/A
RA0000648166	DECLIVITY 82 Ti	166	G1 - 4.1 X 9.5mm	72.85	N/A
RA0000648174	DECLIVITY 82 Ti	174	G1 - 4.1 X 9.5mm	77	N/A
RA0000648182	DECLIVITY 82 Ti	182	G1 - 4.1 X 9.5mm	80.7	N/A
RA0000654156	RELIANCE 92 Ti	156	G1 - 4.1 X 9.5mm	68.4	N/A
RA0000654164	RELIANCE 92 Ti	164	G1 - 4.1 X 9.5mm	72.1	N/A
RA0000654172	RELIANCE 92 Ti	172	G1 - 4.1 X 9.5mm	76	N/A
RA0000654180	RELIANCE 92 Ti	180	G1 - 4.1 X 9.5mm	79	N/A
RA0000656152	RELIANCE 88 C	152	G1 - 4.1 X 9.5mm	64.6	N/A
RA0000656160	RELIANCE 88 C	160	G1 - 4.1 X 9.5mm	68.7	N/A
RA0000656168	RELIANCE 88 C	168	G1 - 4.1 X 9.5mm	72.5	N/A
RA0000656176	RELIANCE 88 C	176	G1 - 4.1 X 9.5mm	76.3	N/A
RA0000658150	RELIANCE 82 Ti	150	G1 - 4.1 X 9.5mm	66.3	N/A
RA0000658158	RELIANCE 82 Ti	158	G1 - 4.1 X 9.5mm	69.4	N/A
RA0000658166	RELIANCE 82 Ti	166	G1 - 4.1 X 9.5mm	72.85	N/A
RA0000658174	RELIANCE 82 Ti	174	G1 - 4.1 X 9.5mm	77	N/A
RA0000662150	RELIANCE 82 C	150	G1 - 3.5 X 9.5mm	66.3	N/A
RA0000662158	RELIANCE 82 C	158	G1 - 3.5 X 9.5mm	69.4	N/A
RA0000662166	RELIANCE 82 C	166	G1 - 3.5 X 9.5mm	72.85	N/A
RA0000662174	RELIANCE 82 C	174	G1 - 3.5 X 9.5mm	77	N/A
RA0000666166	LOCATOR 112	166	Touring - 4.1 X 9.5mm	73.1	N/A
RA0000666173	LOCATOR 112	173	Touring - 4.1 X 9.5mm	76.1	N/A
RA0000666180	LOCATOR 112	180	Touring - 4.1 X 9.5mm	80.1	N/A
RA0000666187	LOCATOR 112	187	Touring - 4.1 X 9.5mm	83.3	N/A
RA0000668162	LOCATOR 104	162	Touring - 4.1 X 9.5mm	71.1	N/A
RA0000668170	LOCATOR 104	170	Touring - 4.1 X 9.5mm	75.1	N/A
RA0000668178	LOCATOR 104	178	Touring - 4.1 X 9.5mm	79.15	N/A
RA0000668186	LOCATOR 104	186	Touring - 4.1 X 9.5mm	83.15	N/A
RA0000670157	LOCATOR 96	157	Touring - 4.1 X 9.5mm	68.6	N/A
RA0000670164	LOCATOR 96	164	Touring - 4.1 X 9.5mm	72.1	N/A
RA0000670171	LOCATOR 96	171	Touring - 4.1 X 9.5mm	75.6	N/A
RA0000670178	LOCATOR 96	178	Touring - 4.1 X 9.5mm	79.1	N/A
RA0000670185	LOCATOR 96	185	Touring - 4.1 X 9.5mm	82.6	N/A
RA0000672152	LOCATOR 88	152	Touring - 4.1 X 9.5mm	69.7	N/A
RA0000672162	LOCATOR 88	162	Touring - 4.1 X 9.5mm	74.7	N/A
RA0000672172	LOCATOR 88	172	Touring - 4.1 X 9.5mm	78.9	N/A
RA0000672182	LOCATOR 88	182	Touring - 4.1 X 9.5mm	82.8	N/A
RA0000674162	LOCATOR 104	162	Touring - 4.1 X 9.5mm	71.1	N/A
RA0000674170	LOCATOR 104	170	Touring - 4.1 X 9.5mm	75.1	N/A
RA0000674178	LOCATOR 104	178	Touring - 4.1 X 9.5mm	79.15	N/A
RA0000674186	LOCATOR 104	186	Touring - 4.1 X 9.5mm	83.15	N/A
RA0000676157	LOCATOR 96	157	Touring - 4.1 X 9.5mm	68.6	N/A
RA0000676164	LOCATOR 96	164	Touring - 4.1 X 9.5mm	72.1	N/A
RA0000676171	LOCATOR 96	171	Touring - 4.1 X 9.5mm	75.6	N/A
RA0000676178	LOCATOR 96	178	Touring - 4.1 X 9.5mm	79.1	N/A
RA0000676185	LOCATOR 96	185	Touring - 4.1 X 9.5mm	82.6	N/A
RA0000678152	LOCATOR 88	152	Touring - 4.1 X 9.5mm	69.7	N/A
RA0000678162	LOCATOR 88	162	Touring - 4.1 X 9.5mm	74.7	N/A
RA0000678172	LOCATOR 88	172	Touring - 4.1 X 9.5mm	78.9	N/A
RA0000678182	LOCATOR 88	182	Touring - 4.1 X 9.5mm	82.8	N/A
RA0000680175	WHITEWALKER 116	175	G1 - 4.1 X 9.5mm	81.6	84.1
RA0000680185	WHITEWALKER 116	185	G1 - 4.1 X 9.5mm	86.2	88.7
RA0000680192	WHITEWALKER 116	192	G1 - 4.1 X 9.5mm	89.7	92.2
RA0000682164	EDOLLO	164	G1 - 3.5 X 9.5mm	79	N/A
RA0000682172	EDOLLO	172	G1 - 3.5 X 9.5mm	82.4	N/A
RA0000682180	EDOLLO	180	G1 - 3.5 X 9.5mm	86.3	N/A

RA0000684164	BDOG	164	G1 - 3.5 X 9.5mm	81	N/A
RA0000684172	BDOG	172	G1 - 3.5 X 9.5mm	85	N/A
RA0000684180	BDOG	180	G1 - 3.5 X 9.5mm	89	N/A
RA0000686180	MAGIC J UL	180	G1 - 4.1 X 9.5mm	85	N/A
RA0000686190	MAGIC J UL	190	G1 - 4.1 X 9.5mm	90	N/A
RA0000690103	ARJ (Color 1)	103	G3 - 3.5 X 7.5mm	46.4	N/A
RA0000690113	ARJ (Color 1)	113	G3 - 3.5 X 7.5mm	51.1	N/A
RA0000690123	ARJ (Color 1)	123	G3 - 3.5 X 7.5mm	55.6	N/A
RA0000690133	ARJ (Color 1)	133	G3 - 3.5 X 7.5mm	60.3	N/A
RA0000690143	ARJ (Color 1)	143	G3 - 3.5 X 7.5mm	64.8	N/A
RA0000692103	ARJ (Color 2)	103	G3 - 3.5 X 7.5mm	46.4	N/A
RA0000692113	ARJ (Color 2)	113	G3 - 3.5 X 7.5mm	51.1	N/A
RA0000692123	ARJ (Color 2)	123	G3 - 3.5 X 7.5mm	55.6	N/A
RA0000692133	ARJ (Color 2)	133	G3 - 3.5 X 7.5mm	60.3	N/A
RA0000692143	ARJ (Color 2)	143	G3 - 3.5 X 7.5mm	64.8	N/A
RA0000694136	DECLIVITY JR	136	G3 - 3.5 X 7.5mm	56.6	N/A
RA0000694144	DECLIVITY JR	144	G3 - 3.5 X 7.5mm	60.6	N/A
RA0000694152	DECLIVITY JR	152	G1 - 3.5 X 9.5mm	64.6	N/A
RA0000560138	TANTRUM	138	G1 - 3.5 X 9.5mm	61.5	N/A
RA0000560147	TANTRUM	147	G1 - 3.5 X 9.5mm	65	N/A
RA0000560156	TANTRUM	156	G1 - 3.5 X 9.5mm	69.5	N/A